

# OASIS STACKED TUMBLE DRYER

SCHG-300RT  
33 lbs (15kg)

SCHG-400RT  
44 lbs (20kg)

## Space Saving and Energy Efficiency

- Axial Flow Design with Powerful Airflow
- Large Roller Supporting
- Stainless Steel Drum (AISI430)
- Inverter Driven Motor with Reversing Drum
- 7" Touch Screen LCD Controller
- Multiple Payment Options\*\*



*Combining axial flow design, an efficient gas burner, powerful airflow, and a large stainless steel drum, this dryer is more than just hot air – the entire system comes together to help dry clothes faster while saving up to 15% of the gas used by a conventional dryer.*

*This stack dryer requires less floor space than a single-pocket tumble dryer, while the single connections for both gas and electricity reduce installation costs.*


## Technical Specifications

MODEL	SCHG-300RT	SCHG-400RT
Capacity per Pocket (kg)	15	20
Tumble Diameter (mm)	774	774
Tumble Depth (mm)	770	1024
Tumble Volume (L)	308	393
Tumble Speed (RPM)	40 - 50	40 - 50
Reverse Drum	Yes	Yes
Exhaust Blower (kW)	0.25	0.25
Drive Motor (kW)	0.25	0.25
Door Opening (mm)	571	571
Exhaust Connection (mm)	150 x 2	150 x 2
Airflow (cmm)	500	500
Inlet Gas Connection (mm)	19	19
Burner Capacity (kW)	18.5	20
Power Supply	220-240VAC @ 50/60Hz	
Width (mm)	840	840
Height (mm)	2100	2100
Depth (mm)	1097	1272
Weight (kg)	230	290


\* Due to continuous product improvements, design and specifications are subject to change over times without prior notice

# Dimension Specifications


## SCHG-300RT




FRONT VIEW



REAR VIEW




SIDE VIEW




TOP VIEW

# Dimension Specifications


## SCHG-400RT




FRONT VIEW



REAR VIEW



SIDE VIEW



TOP VIEW